

CLASSIFICATION CANCELLED
by authority of
THE SECRETARY GENERAL

DATE
CAPTAIN V. B. TAYLOR, PC
Historical Division

DUE TWO WEEKS FROM LAST

CLASSIFICATION CANCELLED

by authority of
THE SECRETARY GENERAL

DATE NOV 28 1949
CAPTAIN V. B. TAYLOR, PC
Historical Division

CLASSIFICATION CHANGED
TO RESTRICTED

AUTH *S.B.O.*

DATE NOV 28 1949
CAPTAIN V. B. TAYLOR, PC
Historical Division

W. Taylor



CONTROL APPROVAL SYMBOL
SPMCS-85

WEEKLY HEALTH REPORT

CURRENT DISEASE AND HOSPITALIZATION DATA FOR THE ARMY
IN THE CONTINENTAL UNITED STATES

WEEK ENDING 7 JANUARY 1944

changed
CLASSIFICATION CANCELLED

by authority of

THE SURGEON GENERAL

DATE MAY 5 1947

Colonel Malcolm E. Beckham, MAC
Historical Division, AML

CLASSIFICATION CANCELLED


by authority of

THE SURGEON GENERAL

DATE NOV 28 1949

CAPTAIN V. B. TAYLOR, PC

Historical Division



ANNUAL MORBIDITY RATE FROM ALL CAUSES COMBINED

PER 1000 STRENGTH

DISEASE

INJURY

ARMY
MEDICAL
APR 13 1947
LIBRARY

(Document)

U.S. War Dept.

**THIS DOCUMENT CONTAINS
INFORMATION AFFECTING THE
NATIONAL DEFENSE OF THE
UNITED STATES WITHIN THE
MEANING OF THE ESPIONAGE
ACT, 50 U. S. C., 31 AND 32, AS
AMENDED. ITS TRANSMISSION
OR THE REVELATION OF ITS
CONTENTS IN ANY MANNER
TO AN UNAUTHORIZED PERSON
IS PROHIBITED BY LAW.**

WEEKLY HEALTH REPORT

WEEK ENDING 7 JANUARY 1944

CONTENTS

	PAGE
NATURE OF THE DATA	2
CHART SHOWING TREND OF MORBIDITY IN CONTINENTAL UNITED STATES IN 1943 AND 1944 TO DATE	3
CHART SHOWING VARIATIONS IN MORBIDITY BY SERVICE COMMANDS JULY 1943 TO DATE	4
COMMENT ON CURRENT TRENDS	5
CHART SHOWING TREND OF NON-EFFECTIVE RATE AND HOSPITALIZATION CONDITIONS IN 1943 AND 1944 TO DATE	7
SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS	8
CURRENT WEEK'S MORBIDITY AND HOSPITALIZATION DATA FOR INDIVIDUAL STATIONS (OTHER THAN GENERAL HOSPITALS) HAVING A STRENGTH OF 5000 OR OVER	10
LIST OF STATIONS WITH HIGHEST RATES	26
CURRENT WEEK'S DATA FOR GENERAL HOSPITALS	27
LIST OF CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST	31
PRISONERS OF WAR	32

WEEKLY HEALTH REPORT

NATURE OF THE DATA

The data presented here are taken from the Statistical Reports, Forms 86ab, rendered weekly to the Office of The Surgeon General by every hospital and separate dispensary in the continental United States.

Because of the desirability of placing the information in circulation at the earliest possible time following its receipt, figures are in general shown herein as reported. Where there is some doubt as to the accuracy of the reported figures, their verification is requested, and the fact that they have been so questioned is indicated by the symbol (!).

MORBIDITY DATA

In this report admission rates are shown for all causes (disease and injury) combined, for all diseases combined, for injuries and for a few specific diseases. These rates are presented on an annual basis to facilitate comparisons with corresponding rates in annual and monthly reports. Such annual rates of admission indicate the number of admissions per thousand mean strength which would occur over a year's time if the current week's experience continued for a year.

The report also shows the number of cases of the more common communicable and certain other diseases of special interest. Appended is a list of cases reported for the rarer communicable and certain other diseases.

The number of patients remaining in hospital at the end of the week per thousand strength as given in this report furnishes an approximation to the current non-effective rate. The mean number of non-effectives per thousand strength is given in the summary table for the total United States and for each of the Service Commands.

STATIONS WITH HIGHEST MORBIDITY RATES

Included in the report is a table listing the stations (having a strength of 5000 or over) with the highest morbidity rates from all causes, from all diseases combined, from injuries and from a few specific diseases. Not infrequently, the excessively high rates of admission for all causes and for all diseases combined reported from reception centers reflect a large number of venereal disease cases among newly inducted men. Therefore, more significant of high morbidity from disease are the rates of admission for disease excluding venereal infections existing prior to induction, which rates are also shown in the table.

HOSPITALIZATION DATA

Current hospitalization conditions are presented in terms of bed capacity (normal and total), beds occupied and beds "available vacant." The number of beds "available vacant" is defined as 80% of the total bed capacity less the corresponding beds occupied. The number of beds "available vacant" for each Service Command is the total of the beds "available vacant" for only those stations in which 80% of the total bed capacity exceeds the beds occupied. Beds currently reported as "expansion beds" and beds in dispensaries, convalescent facilities, venereal disease facilities, and college or university training units are not included in this report.

In the case of general hospitals there are shown, in addition, the number of Army patients admitted and disposed of during the week (by death, return to duty, transfer, or otherwise), the number of such patients remaining in hospital (including convalescent facilities, if any) at the end of the week, and corresponding data for battle casualties. Where the hospital has convalescent facilities, the letters (CF) appear after its name. The patients "otherwise" disposed of represent for the most part discharges on account of disability. In the case of Army battle casualties, all of which are currently admitted to general hospitals in this country as transfers, there is shown for each hospital the net number transferred during the week; i.e., admissions by transfer less dispositions by transfer. The total for the country as a whole represents the number of battle casualties evacuated to the United States from overseas theaters.

EXPLANATORY MATTER

In reading the detail tables, it should be borne in mind that admission rates based on small numbers of cases are not reliable. For this reason the symbol (?) is placed after admission rates computed on the basis of 5 or fewer cases.


Where part or all of the current week's data for a particular station has not been received, the latest available figures are substituted therefor and the symbol (#) is placed after the name of the station.

RESTRICTED

MORBIDITY FROM

ALL CAUSES
 DISEASE ONLY
 COLDS, INFLUENZA, ETC.

CONTINENTAL UNITED STATES



RESTRICTED


MORBIDITY FROM

— ALL CAUSES

----- DISEASE ONLY

..... COLDS, INFLUENZA, ETC.

VARIATIONS BY SERVICE COMMAND
CONTINENTAL UNITED STATES



RESTRICTED

WEEKLY HEALTH REPORT

WEEK ENDING 7 JANUARY 1944

COMMENT ON CURRENT TRENDS

CURRENT MORBIDITY IN THE CONTINENTAL UNITED STATES AS A WHOLE

As indicated on page 3, the admission rate from colds, influenza, etc. declined for the fourth consecutive week and during the week ending 7 January 1944 was reported at 351 per thousand per year for the United States as a whole. This rate was about 45 percent below the peak rate of the recent outbreak of respiratory infections registered during the week ending 11 December 1943 and 35 percent below the peak rate of the outbreak a year ago registered during the week ending 8 January 1943.

Morbidity from all forms of pneumonia increased slightly during the week but nevertheless continued on a low level, about 25 percent below that reported during the corresponding week of 1943.

The admission rate from all causes and from all diseases combined for the week ending 7 January 1944 declined much less than did morbidity from colds, influenza, etc. The all causes rate at nearly 850 per thousand per year and the corresponding all diseases rate of almost 780 per thousand per year were both about 18 percent lower than for the week ending 8 January 1943 which, however as mentioned above, represented the peak of the admissions from respiratory causes early in 1943.

The admission rate from injury for the week ending 7 January 1944 rose from the record low level at which it had remained during the preceding two weeks to 70 per thousand per year. This rate would ordinarily be considered low for the Army in time of war.

For the second successive week, the number of cases of measles, mumps, scarlet fever and meningitis all showed pronounced increases. The number of cases of measles reported during the week ending 7 January 1944 was more than double that reported two weeks ago.

VARIATIONS IN MORBIDITY BY SERVICE COMMAND

Slightly higher morbidity from colds, influenza, etc. during the week ending 7 January 1944 was reported by the Third, Sixth and Seventh Service Commands, but all the other Service Commands reported lower morbidity.

The Eighth Service Command which had reported the highest admission rate from these causes during the preceding week showed the largest decline in morbidity this week. The Military District of Washington and the Fifth Service Command also reported substantially lower morbidity from respiratory causes.

The Seventh and Second Service Commands were the only ones to report admission rates from colds, influenza, etc. in excess of 400 per thousand per year. The First and Ninth Service Commands showed the lowest rates of slightly under 300 per thousand.

Chiefly because of its relatively high morbidity from colds, influenza, etc. the Seventh Service Command was the only one to report morbidity from disease in excess of 900 per thousand per year. As during the preceding week the First Service Command continued to report the lowest morbidity from disease, only 629 per thousand.

WEEKLY HEALTH REPORT

WEEK ENDING 7 JANUARY 1944

COMMENT ON CURRENT TRENDS (CONT'D)

The Fifth and Sixth Service Commands reported markedly higher rates of venereal infections (excluding EPTI cases), while the First Service Command and Military District of Washington continued to show low morbidity.

The number of cases of measles increased most in the Eighth Service Command, but about 45 percent of the total number of cases in the country were reported from the Fourth Service Command. The number of cases of mumps increased most in the Ninth Service Command, which reported about as many cases as the Fourth Service Command, each accounting for over 25 percent of the total in the country. The Ninth Service Command also reported about 25 percent of the total number of scarlet fever cases. The largest increase in meningitis cases was in the Fourth Service Command which accounted for almost 40 percent of the total in the Continental United States.

NON-EFFECTIVE RATE

The mean number of non-effectives for the country as a whole (which at the peak of the influenza out-break rose to 44 per thousand) was reported at 38 per thousand during the week ending 7 January 1944. This is not only lower than for the week ending 9 January 1943 but also below the level prevailing in November 1943.

The variations in the non-effective rates by Service Command do not reflect so much the differences in morbidity between the Service Commands as the varying distribution of general hospitals. When comparison is made between the non-effective rates by Service Command excluding general hospitals, the variations in the non-effective rate by Service Command are seen to be very much smaller than when the days lost in the general hospitals are included.

CURRENT HOSPITALIZATION CONDITIONS


The total bed capacity reported as of 7 January 1944 was nearly 364,000. This apparent increase in capacity of about 7,000 beds as compared with 31 December 1943 represents largely a change in the basis of reporting bed capacity and not an actual increase.

The number of beds occupied as of 7 January 1944 was about 176,000 or an increase of almost 6,000 over the previous week; at the same time the number of "available vacant" beds remained level at about 116,000. On 7 January there were 22 stations with a bed capacity of about 12,000 which had no "available vacant" beds; included among them were 3 general hospitals with a bed capacity of about 5,000 beds.

On January 1944 there were 2,166 cases of malaria remaining under treatment all but 35 of which had presumably been acquired outside of the United States. The number of neuropsychiatric cases remaining under treatment at the end of the week was reported at 15,309, while the number of tuberculosis cases remaining totaled 1,006.


NON-EFFECTIVE RATE

CONTINENTAL UNITED STATES



HOSPITALIZATION DATA*

CONTINENTAL UNITED STATES



*EXCLUSIVE OF BEDS REPORTED AS EXPANSION BEDS, BEDS IN DISPENSARIES, CONVALESCENT FACILITIES, VENEREAL DISEASE FACILITIES, AND COLLEGE TRAINING DETACHMENTS

WEEKLY HEALTH REPORT

SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

CONFIDENTIAL

SERVICE COMMAND	MEAN STRENGTH	A D M I S S I O N S																MEAN NUMBER OF NONEFFECTIVES PER 1000 STRENGTH	
		ANNUAL RATE PER 1000 STRENGTH						ANNUAL CASE RATE PER 1000 STRENGTH											
		ALL CAUSES		DISEASE		INJURY		COLDS, INFLU- ENZA, ETC.*		PNEUMONIA (INCL. ATYPICAL)		DIARRHEA AND DYSENTERY		VENEREAL (EXCL. EPTI)					
C U R R E N T W E E K C O M P A R E D W I T H P R E V I O U S W E E K																			
	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	
TOTAL UNITED STATES	4795438	4804602	849	858	779	797	70	61	351	408	21	19	9	9	27	24	38	38	
FIRST SERVICE COMMAND	138017	144007	697	678	629	622	68	56	295	336	23	20	12	6	12	16	30	31	
SECOND SERVICE COMMAND	248954	256758	879	800	820	752	59	48	416	438	22	21	7	7	30	37	44	39	
THIRD SERVICE COMMAND	300348	304941	915	812	852	757	63	55	371	356	20	19	8	5	25	25	40	38	
MIL. DIST. OF WASHINGTON	61968	62467	806	776	767	730	39	46	303	390	34	33	11	9	12	12	61	62	
FOURTH SERVICE COMMAND	1282409	1287278	819	857	747	792	72	65	353	408	19	19	11	12	30	28	36	37	
FIFTH SERVICE COMMAND	219699	220460	819	859	764	801	55	58	338	415	22	16	17	18	41	26	47	44	
SIXTH SERVICE COMMAND	184513	186448	927	811	859	758	68	53	355	342	21	28	6	7	37	29	32	31	
SEVENTH SERVICE COMMAND	409573	407122	993	916	917	861	76	55	428	423	36	33	11	20	28	24	40	39	
EIGHTH SERVICE COMMAND	1010295	1000004	866	966	789	901	77	65	361	507	23	17	7	7	26	23	36	38	
NINTH SERVICE COMMAND	939662	935117	799	789	728	726	71	63	295	328	14	14	8	4	23	18	38	39	
C U R R E N T Y E A R T O D A T E C O M P A R E D W I T H C O R R E S P O N D I N G P E R I O D P R E V I O U S Y E A R																			
	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	
TOTAL UNITED STATES	4795438	3957876	849	1026	779	959	70	67	351	540	21	27	9		27	30	38		
FIRST SERVICE COMMAND	138017	123842	697	1031	629	953	68	78	295	551	23	36	12		12	14	30		
SECOND SERVICE COMMAND	248954	200352	879	1015	820	956	59	59	416	561	22	24	7		30	27	44		
THIRD SERVICE COMMAND	300348	229333	915	1053	852	990	63	63	371	541	20	35	8		25	34	40		
MIL. DIST. OF WASHINGTON	61968	58002	806	730	767	709	39	21	303	360	34	87	11		12	22	61		
FOURTH SERVICE COMMAND	1282409	1111790	819	1009	747	938	72	71	353	540	19	34	11		30	32	36		
FIFTH SERVICE COMMAND	219699	114978	819	1018	764	968	55	50	338	526	22	35	17		41	48	47		
SIXTH SERVICE COMMAND	184513	132574	927	1110	859	1062	68	48	355	605	21	30	6		37	29	32		
SEVENTH SERVICE COMMAND	409573	400255	993	1248	917	1188	76	60	428	676	36	26	11		28	20	40		
EIGHTH SERVICE COMMAND	1010295	792680	866	1054	789	985	77	69	361	546	23	23	7		26	39	36		
NINTH SERVICE COMMAND	939662	794070	799	913	728	840	71	73	295	462	14	14	8		23	22	38		

CONFIDENTIAL

WEEKLY HEALTH REPORT

SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

CONFIDENTIAL

SERVICE COMMAND	MEAN STRENGTH	ADMISSIONS NUMBER OF CASES									NUMBER OF DEATHS			NUMBER OF PATIENTS IN HOSPITAL AT END OF WEEK PER 1000 STRENGTH	NUMBER OF BEDS END OF WEEK			
		MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	TUBERCULOSIS	MALARIA ACQUIRED		ALL CAUSES	DISEASE	INJURY		CAPACITY		TOTAL OCCUPIED	AVAILABLE VACANT
									IN USA	OUT OF USA					NORMAL	TOTAL		
CURRENT WEEK																		
TOTAL UNITED STATES	4795438	337	283	264	90	96	676	89	11	278	241	47	194	38	331740	363962	176487	115627
FIRST SERVICE COMMAND	138017	2	3	1	4	2	17	1		18	4	1	3	30	8397	9329	3834	3644
SECOND SERVICE COMMAND	248964	16	26	11	3	2	36	4		25	6	3	3	44	21816	24212	9828	9583
THIRD SERVICE COMMAND	300348	20	22	7	1	2	46	2	1	10	6	1	5	40	18938	22277	11309	6528
MIL. DIST. OF WASHINGTON	61968		4		1		23			1	1	1		60	3755	4689	3141	610
FOURTH SERVICE COMMAND	1282409	145	75	28	34	19	225	24	3	34	58	6	52	36	81144	86409	46164	23432
FIFTH SERVICE COMMAND	219699	5	10	29	5	2	52	8	1	11	6	3	3	47	18155	20450	9574	6874
SIXTH SERVICE COMMAND	184513	10	10	28	3	7	23	8		14	6	3	3	36	12266	12896	5979	4338
SEVENTH SERVICE COMMAND	409573	45	25	49	8	43	76	5		21	30	6	24	41	32137	34817	16748	11268
EIGHTH SERVICE COMMAND	1010295	71	32	46	18	6	100	18	3	60	36	10	26	35	69208	73663	35912	23094
NINTH SERVICE COMMAND	939662	24	76	65	13	13	78	19	3	84	88	13	75	38	65924	75220	33998	26256
PREVIOUS WEEK																		
TOTAL UNITED STATES	4804602	246	221	237	69	94	635	86	8	217	169	56	113	37	331127	357154	170686	115892
FIRST SERVICE COMMAND	144007	2	3	11	3	3	19	1		11	6	2	4	27	7899	8819	3527	3545
SECOND SERVICE COMMAND	256758	9	5	16	4	1	23			8	5	2	3	40	21334	21954	8513	9135
THIRD SERVICE COMMAND	304941	14	27	8	11	1	30	3	1	11	4	2	2	37	19232	20794	10515	6182
MIL. DIST. OF WASHINGTON	62467		3		1		16			5	6	6		57	3740	4689	2736	1015
FOURTH SERVICE COMMAND	1287278	125	58	26	14	13	230	11	1	39	28	7	21	34	84213	90701	45373	27378
FIFTH SERVICE COMMAND	220460	2	9	15	5	3	30	4	1	15	9	3	6	47	18142	19269	9582	5991
SIXTH SERVICE COMMAND	186448	11	8	16	4	12	53	5		13	6	2	4	33	12382	13020	5465	4951
SEVENTH SERVICE COMMAND	407122	36	16	53	12	34	53	7		22	8	5	3	37	32014	34871	14774	13171
EIGHTH SERVICE COMMAND	1000004	26	49	37	9	8	132	45		67	40	15	25	35	69869	74928	35908	24057
NINTH SERVICE COMMAND	935117	21	43	55	6	19	49	10	5	26	57	12	45	38	62302	68109	34293	20467

CONFIDENTIAL

INDIVIDUAL STATIONS

[illegible]

FORM SG-396 REVISED 6 NOV. 1943

* Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, and Pleurisy.

CONFIDENTIAL

- 10 -

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

INDIVIDUAL STATIONS

SERVICE COMMAND AND STATION	MEAN STRENGTH	ADMISSIONS																	NUMBER OF DEATHS			NUMBER OF PATIENTS IN HOSPITAL END OF WEEK PER 1000 STRENGTH	NUMBER OF BEDS END OF WEEK			
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES													CAPACITY		TOTAL OCCUPIED	AVAILABLE VACANT
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL (EXCL. SPT)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC M'INGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	TUBER- CULOSIS	MALARIA ACQUIRED		ALL CAUSES	DISEASE	INJURY	NORMAL		TOTAL			
																IN USA	OUT OF USA									
SECOND SERVICE COMMAND	248954	879	820	59	416	22	7	30	15	26	11	3	2	36	4		25	6	3	3	44	21816	24212	9828	9583	
Dix, Ft., N. J.	40392	926	902	24	492	22		18				1					1				26	1784	1796	882	555	
Hamilton, Ft., N. Y.	14197	685	612	73	227	15	7	26			1	1			1		2	1	1		18	477	513	261	149	
Kilmer, Cp., N. J.	23715	984	927	57	421	44		44	2	3	4		1	7				1		1	28	2005	2005	673	931	
Mitchel Fld., N. Y.	7482	618	604	14	153		7	63		1	1										55	1114	1176	445	496	
Monmouth, Ft., N. J.	19191	693	669	24	293	11	16	5	1	1			1	1			3				20	1124	1564	400	851	
Shanks, Cp., N. Y.	21540	628	572	56	398	43		87	7		1			8							29	1799	2100	635	1045	
Syracuse, AAB, N. Y.	4368	1274	1238	36	881			12	1								2				19	209	209	98	69	
Totten, Ft., N. Y. #	5315	646	626	20	411	59		10									1				14	85	150	77	43	
Upton, Cp., N. Y.	7369	1609	1545	64	402	21		42													38	743	931	168	577	
Stations under 5000 strength & Mis. Units	94526	977	888	89	474	17	14	24	4	21	4	1		18	2		8	4	2	2	17	3967	5090	1707	2366	
TOTAL-ALL STATIONS EXCEPT GEN HOSPITALS	238095	904	844	60	429	22	7	30	15	26	11	3	2	34	3		17	6	3	3	23	13307	15534	5346	7082	
TOTAL-GENERAL HOSPITALS	10859													2	1		8					8509	8678	4482	2501	

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

CONFIDENTIAL

SERVICE COMMAND AND STATION	MEAN STRENGTH	ADMISSIONS																NUMBER OF DEATHS			NUMBER OF PATIENTS IN HOSPITAL END OF WEEK PER 1000 STRENGTH	NUMBER OF BEDS END OF WEEK			
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH				NUMBER OF CASES													CAPACITY		TOTAL OCCUPIED	AVAILABLE VACANT
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC. *	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL (EXCL. EPTI)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	TUBER- CULOSIS	MALARIA ACQUIRED		NORMAL	TOTAL						
																IN USA	OUT OF USA								
THIRD SERVICE COMMAND	300348	915	852	63	371	20	8	25	20	22	7	1	2	46	2	1	10	6	1	5	40	18938	22277	11309	6528
Aberdeen Prov. Grd. Md.	21190	910	868	42	537	71		121										2		2	26	944	1387	560	560
Eustis, Ft., Va.	13553	1631	1539	92	345	46		47	8	2			2	11							53	948	1177	736	206
Geo. G. Meade, Ft., Md.	25887	952	910	42	309	20	81	38	1	2				3			2	1		1	32	2032	2032	900	726
Indiantown Gap, Pa.	21339	750	699	51	278	71		17		1				1							36	1188	1374	776	323
Langley Fld., Va.	8617	923	893	30	459	181	121		2		1			2							19	340	340	159	113
Lee, Cp., Va.	31754	1130	1032	98	398	11		25	1	1				1			1				37	1941	2689	1253	898
Monroe, Ft., Va.	6481	481	465	16	241		161	81	1												9	232	282	76	150
Patrick Henry, Cp., Va.	19703	684	652	32	412	21	111	53		1							1				30	1057	1193	593	361
Pickett, Cp., Va.	38570	706	625	81	170	18	9	47	2	11	2			6	1						28	2045	2725	1090	1090
Reynolds, Cp., Pa.	14850	1096	1050	46	749	39		32	1	2	1			7			1				42	1087	1211	630	339
Richmond, AAB, Va.	10455	900	865	35	408	51		251		1							1				34	360	374	314	-15
Story, Ft., Va.	24800	407	346	61	140	13	21	21				1		4	1			1		1	20	924	924	490	249
Stations under 5000 strength & Misc. Units	56731	1158	1079	79	494	23	27	15	4	1	3			6			1				18	1822	2045	866	769
TOTAL-ALL STATIONS EXCEPT GEN. HOSPITALS	293930	922	859	63	373	18	9	25	20	22	7	1	2	41	2		7	4		4	29	14920	17753	8443	5774
TOTAL GENERAL HOSPITALS	6418													5		1	3	2	1	1		4018	4524	2866	754

FORM 30-396 REVISED 6 NOV. 1943

* Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, and Pleurisy.

CONFIDENTIAL

WEEKLY HEALTH REPORT

CONFIDENTIAL

INDIVIDUAL STATIONS

[illegible]

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

CONFIDENTIAL

SERVICE COMMAND AND STATION	MEAN STRENGTH	ADMISSIONS																NUMBER OF DEATHS			NUMBER OF PATIENTS IN HOSPITAL END OF WEEK PER 1000 STRENGTH	NUMBER OF BEDS END OF WEEK			
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH				NUMBER OF CASES													CAPACITY		TOTAL OCCUPIED	AVAILABLE VACANT
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.*	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL (EXCL. EPT.)	MEASLES	MUMPS	SCARLET FEVER	TYPHOID FEVER	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	TUBER- CULOSIS	MALARIA ACQUIRED		ALL CAUSES	DISEASE	INJURY		NORMAL	TOTAL		
																IN USA	OUT OF USA								
FOURTH SERVICE COMMAND	1282409	819	747	72	353	19	11	30	145	75	28	34	19	225	24	3	34	58	6	52	36	81144	86409	46164	23432
Avon Park, Fla.	7122	532	423	109	161			44										4		4	21	239	257	180	46
Benning, Ft., Ga.	77411	388	342	46	197	36	37	78	22	8	7	3	1	26	5		1	6		6	18	2850	3434	1559	1188
Blanding, Sp., Fla.	38184	1077	968	109	475	27	8	11		3				16							48	2981	2981	1873	512
Boca Raton Fld., Fla.	8370	602	565	37	124	67		257	1		1			1							20	478	478	187	195
Bragg, Ft., N. C.	45707	1076	1017	59	547	35		25	4			3		23			1	3		3	36	1872	1872	1849	-351
Buckingham Fld., Fla.	11649	585	500	85	152			27													18	304	304	232	11
Butner, Sp., N. C.	27680	647	609	38	209	21	27	24				1									27	2266	2266	775	1038
Charleston PoE, S. C.	8729	1179	1125	54	709	187	127	60	2	1				3	1		1				24	445	445	209	147
Columbia AAB, S. C.	5936	219	219		315	267	357	97										1		1	27	367	367	174	120
Croft, S. C.	19024	593	489	104	230	19	25	19	4	1	1	1		1			4				21	794	913	402	328
Dale Mabry Fld., Fla.	8232	625	562	63	44	327		38						5				1		1	17	293	293	135	99
Davis, Sp., N. C.	35504	505	487	18	161	10	37	26	2	6				6	1		4				25	1850	1850	891	589
Drew Fld., Fla.	32236	763	702	61	303	10	108	13							2	2					21	1502	1502	683	519
Eglin Fld., Fla.	8403	711	631	80	359	127		62													19	348	348	198	80
Forrest, Sp., Tenn.	11259	1561	1519	42	647	60	147	162	4	2	2	1		7							140	1300	2370	1692	204
Gordon, Sp., Ga.	23697	661	584	77	158	97	27	20	5												31	2039	2039	832	799
Gordon-Johnston, Sp., Fla.	20098	631	590	41	274	87	57	28	6		1	1		2							21	663	795	435	201
Greensboro AAF, N. C.	17582	2597	2555	41	1671	80	56	35	8	4	1		1	16	2						39	795	795	692	-56
Greenville AAB, S. C.	10638	342	318	24	371	207	29	49		1			1								21	418	418	206	128
Gulfport Fld., Miss.	16642	1097	1056	41	684	19	167	50	2	1			1	6	1			1		1	30	752	752	524	78

FORM 36-396 REVISED 6 NOV. 1943

* Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, and Pleurisy.

CONFIDENTIAL

WEEKLY HEALTH REPORT

CONFIDENTIAL

INDIVIDUAL STATIONS

SERVICE COMMAND AND STATION	MEAN STRENGTH	ADMISSIONS																NUMBER OF DEATHS			NUMBER OF PATIENTS IN HOSPITAL END OF WEEK PER 1000 STRENGTH	NUMBER OF BEDS END OF WEEK				
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES												CAPACITY		TOTAL OCCUPIED	AVAILABLE VACANT	
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL (EXCL. EPTI)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	TUBER- CULOSIS	MALARIA ACQUIRED		ALL CAUSES	DISEASE	INJURY		NORMAL	TOTAL			
																IN USA	OUT OF USA									
(Cont'd) FOURTH SERVICE COMMAND																										
Hunter Fld., Ga.	9304	503	453	50	145	67	177	22		2											29	442	460	303	65	
Jackson, Ft., S. C.	53570	564	465	99	190	14	37	28	6	5	2	2		7	1		2	2	1	1	26	3533	3533	1438	1388	
Keesler Fld., Miss.	29976	685	635	50	255	21	24	17	4	1			2								24	1200	1200	756	204	
Laurinburg-Maxton, N.C.	8671	853	779	84	366			36				1						1		1	32	302	302	277	-35	
MacDill, Fla.	14808	611	558	53	200	147	47	21		1		1	1	4							23	632	632	369	137	
Mackall, Cp., N. C.	25178	808	537	271	94	14		19		1	1	1		2			1	2		2	18	1007	1168	458	476	
Maxwell Fld., Ala.	16021	546	630	16	208	32	29	19	9	1	2		7	9							25	725	725	406	174	
McCain, Cp., Miss.	25450	703	644	59	157	87	67	22	6	1				2				1		1	33	2119	2239	868	924	
McClellan, Ft., Ala.	32690	622	586	86	181	56	10	8		3				27			1	1		1	26	1728	1840	910	562	
McPherson, Ft., Ga.	7957	928	882	46	359		77	77	1	1							1				40	680	680	361	183	
Miami Beach, Fla.	26903	1016	935	81	141		14	67																		
Miss.Ord. Plant, Miss.	5366	2402	2190	212	1520	167	87	327	1												23	412	412	149	181	
Murphy, Cp., Fla.	5898	503	432	71	176	267	97			1				3							18	250	250	107	93	
Nashville, Tenn.	16701	1279	1242	37	607	65		19	1	4	5		4	10							28	669	669	481	54	
Oglethorpe, Ft., Ga.	6139	1939	1685	254	889	427		347		1							1	3		3	38	898	994	276	519	
Orlando AAF, Fla.	29580	728	654	74	220	57	57	217		3					1			6		6	20	968	968	540	234	
Robins Fld., Ga.	8492	520	447	73	190	67	127	43						1			1	5		5	26	500	500	261	139	
Rucker, Cp., Ala.	25302	558	621	47	290	14	49	12		2		1		5							20	1012	1012	539	271	
Seymour-Johnson, N. C.	17518	522	486	36	175	39		39	1		2										20	676	820	362	294	
Shelby, Cp., Miss.	51919	1248	1210	35	731	19	17	17	28	8		7		7	1	7					35	3445	4063	1839	1411	

FORM 36-396 REVISED 6 NOV. 1943

* Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, and Pleurisy.

CONFIDENTIAL

INDIVIDUAL STATIONS

[illegible]

FORM SG-396 REVISED 6 NOV. 1943

* Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, and Pleurisy.

CONFIDENTIAL

- 16 -

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

INDIVIDUAL STATIONS

[illegible]

FORM SG-396 REVISED 6 NOV. 1943

* Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, and Pleurisy.

CONFIDENTIAL

- 17 -

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

INDIVIDUAL STATIONS

[illegible]

FORM SG-396 REVISED 6 NOV. 1943

* Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, and Pleurisy.

CONFIDENTIAL

- 18 -

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

CONFIDENTIAL

INDIVIDUAL STATIONS

SERVICE COMMAND AND STATION	MEAN STRENGTH	ADMISSIONS																	NUMBER OF DEATHS			NUMBER OF PATIENTS IN HOSPITAL END OF WEEK PER 1000 STRENGTH	NUMBER OF BEDS END OF WEEK			
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH				NUMBER OF CASES														CAPACITY		TOTAL OCCUPIED	AVAILABLE VACANT
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.*	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL (EXCL. EPTI)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	TUBER- CULOSIS	MALARIA ACQUIRED		ALL CAUSES	DISEASE	INJURY	NORMAL		TOTAL			
																IN USA	OUT OF USA									
SEVENTH SERVICE COMMAND	409573	993	917	76	428	36	11	28	45	25	49	8	43	76	5		21	30	6	24	41	32137	54817	16748	11268	
Buckley Fld., Colo.	16292	1222	1136	86	785	45		107		1	4			10	8						45	1028	1155	706	218	
Carson, Cp., Colo.	18648	1129	990	139	719	67	177	28						1							26	2146	2146	449	1268	
Crowder, Cp., Mo.	25939	780	664	116	323	36	67	22			2		2					3		3	36	1737	1737	785	606	
F. E. Warren, Ft., Wyo.	14602	1136	1108	28	182	117		77		1			7				1				44	861	1065	629	223	
Hale, Cp., Colo.	12939	992	900	92	486	207	167	24			2		2								29	703	753	380	222	
Jefferson Bks., Mo.	29532	1387	1280	107	502	178		62	15	1	8	4		23	1		3				49	1600	1600	1433	-153	
Leavenworth, Ft., Kans.	6772	829	821	87	230	317	87	387	2		2						2				18	294	294	102	133	
Leonard Wood, Ft., Mo.	32642	942	899	43	432	13		19	1	4							1		1	26	1950	2377	884	1018		
Lincoln, AAF, Webr.	14662	904	847	57	436	106		21			1	1	1	18			2				37	845	845	545	131	
Lowry Fld., Colo.	15852	925	899	26	466	49	37	107	2	2	1		11	12				3	3		29	375	537	403	27	
Peterson Fld., Colo.	8443	665	622	43	289	37		67	3	1	2		3					2		2	19	282	315	155	97	
Phillips, Cp., Kans.	18174	621	524	97	172	147	97	26													26	1851	2079	509	1154	
Riley, Ft., Kans.	19850	977	877	100	542	21		31	10	3	4										31	1390	1549	586	653	
Sioux City, AAB, Iowa	5001	1393	1102	291	385	317	107	427		1	4							17		17	29	176	176	146	-5	
Sioux Falls, AAF, S.D.	14259	886	835	51	398	88	47	157	1	1				1	14						28	787	787	407	223	
Smoky Hill, AAF, Kans.	5227	766	686	80	199	107	70	507													18	308	308	93	153	
Stations under 5000 strength & Misc. Units	137818	1049	980	69	434	12	23	31	11	9	18	3	5	1	3		5	3	3		21	7141	8020	2988	3431	
TOTAL- ALL STATIONS EXCEPT GEN. HOSPITALS	396652	1009	932	77	435	37	12	28	45	24	48	8	43	76	4		13	29	6	23	29	23474	25743	11200	9556	
TOTAL GENERAL HOSPITALS	12921									1	1				1		8	1		1		8663	9074	5548	1712	

CONFIDENTIAL

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

CONFIDENTIAL

SERVICE COMMAND AND STATION	MEAN STRENGTH	ADMISSIONS																		NUMBER OF DEATHS			NUMBER OF PATIENTS IN HOSPITAL END OF WEEK PER 1000 STRENGTH	NUMBER OF BEDS END OF WEEK			
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH				NUMBER OF CASES															CAPACITY		TOTAL OCCUPIED	AVAILABLE VACANT
		ALL CAUSES	DISEASE	INJURY	COLD, INFLUENZA, ETC.*	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL (EXCL. EPT)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	TUBER- CULOSIS	MALARIA ACQUIRED		ALL CAUSES	DISEASE	INJURY	NORMAL	TOTAL					
																IN USA	OUT OF USA										
EIGHTH SERVICE COMMAND	1010295	565	789	77	361	23	7	26	71	32	46	16	6	100	18	3	60	36	10	26	35	69208	73663	35912	23094		
Alamogordo, AAB, N.Mex.	5751	705	633	72	181			54		1											20	269	269	122	93		
Amarillo, AAF, Tex.	18822	713	686	28	207	8		17	3		1						1				24	805	1091	466	407		
Barkeley, Cp., Tex.	38155	947	902	45	661	35		18		2	2	3									35	2366	2366	1244	649		
Barksdale, Fld., La.	7464	857	773	54	334	77		147													32	404	429	294	49		
Biggs Fld., Tex.	4787	738	684	547	163	227		547			1		1								27	308	308	131	116		
Bliss, Ft., Tex.	33739	541	492	45	151	9	22	51	1	3	2		1				2				27	1979	1979	943	640		
Bowie, Cp., Tex.	22068	630	626	64	266	127	57	14	1	2		2			1	1					29	2129	2356	681	1204		
Brooks Fld., Tex.	4886	851	808	437	415	327															16	269	269	82	133		
Chaffee, Cp., Ark.	20998	681	617	64	215	17		27							7		1				27	1661	1661	655	674		
Claiborne, Cp., La.	46020	626	565	61	145	16	7	59		2					6		5				31	2154	2370	1122	774		
Clark, Ft., Tex.	9703	948	857	91	273			107													28	392	392	271	43		
Dalhart, AAB, Tex.	4936	906	853	53	443			42			1		1								21	221	221	105	72		
Ellington Fld., Tex.	10037	456	399	57	290	57		107	1		1										14	342	342	150	124		
Fannin, Cp., Tex.	20170	1057	1003	54	843	49		37	29								1	1	1		35	1036	1051	744	97		
Gruber, Cp., Okla.	27675	648	569	79	256	47	21	19							1		2				38	2133	2133	1185	521		
Harlingen, AAB, Tex.	9499	755	684	71	372	167		27													17	250	250	160	40		
Hondo, AAPNH, Tex.	6482	930	882	48	521	87		167													19	334	334	123	144		
Hood, Cp., Tex.	43207	891	852	39	554	153	57	14		2	2	3						2		2	28	3066	3066	1287	1166		
Howse, Cp., Tex.	17111	659	604	55	231	21	37	21		1	1		1	6							32	1637	1637	624	686		
Hulen, Cp., Tex.	10483	1200	1131	69	784	207	57	57							4		1				29	551	551	310	131		

FORM 30-396 REVISED 6 NOV. 1943

* Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, and Pleurisy.

CONFIDENTIAL

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

CONFIDENTIAL

SERVICE COMMAND AND STATION	MEAN STRENGTH	ADMISSIONS																NUMBER OF DEATHS			NUMBER OF PATIENTS IN HOSPITAL END OF WEEK PER 1000 STRENGTH	NUMBER OF BEDS END OF WEEK																																																																																																																																																																																																																																																																																			
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH				NUMBER OF CASES													CAPACITY		TOTAL OCCUPIED	AVAILABLE VACANT																																																																																																																																																																																																																																																																																
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC. *	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL (EXCL. EPT.)	MEASLES	MUMPS	SCARLET FEVER	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE		TYPHOID FEBRILE	TYPHOID FEBRILE			TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE	TYPHOID FEBRILE</

FORM 56-396 REVISED 6 NOV. 1943

* Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, and Pleurisy.

CONFIDENTIAL

ARMY SERVICE FORGES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

INDIVIDUAL STATIONS

[illegible]

FORM SG-396 REVISED 6 NOV. 1943

* Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, and Pleurisy.

CONFIDENTIAL

- 22 -

24-57869ABC

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

CONFIDENTIAL

SERVICE COMMAND AND STATION	MEAN STRENGTH	ADMISSIONS																NUMBER OF DEATHS			NUMBER OF PATIENTS IN HOSPITAL END OF WEEK PER 1000 STRENGTH	NUMBER OF BEDS END OF WEEK			
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH				NUMBER OF CASES													CAPACITY		TOTAL OCCUPIED	AVAILABLE VACANT
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.*	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL (EXCL. EPTI)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	TUBER- CULOSIS	MALARIA ACQUIRED		ALL CAUSES	DISEASE	INJURY		NORMAL	TOTAL		
																IN USA	OUT OF USA								
NINTH SERVICE COMMAND	939662	799	728	71	295	14	8	23	24	76	65	13	13	78	19	3	84	88	13	75	38	69524	75220	33998	25256
Abbot, Cp., Ore.	7745	1974	1780	194	1417	87	13?			8	8			4				1	1		50	411	556	378	51
Adair, Cp., Ore.	34207	857	827	30	239	32	3?	20		1	1	2		19			9	5	3	2	31	1932	2167	1062	672
Baker, Ft., Calif.	5142	1122	1001	121	233			30?													37	385	425	188	152
Beale, Cp., Calif.	14657	652	585	67	135	4?	18?	18?			3				2		24				28	1802	1802	412	1030
Blythe AAB, Calif.	5294	658	589	69	265	10?	10?	69													23	171	195	125	31
Callan, Cp., Calif.	19206	696	636	60	225	22		19		2	1						1				58	1116	1669	723	612
Cooke, Cp., Calif. [#]	25402	628	591	37	334	2?	18	18										*			32	1711	1711	841	528
Davis-Monthan Fld., Ariz.	7701	810	688	122	365	14?	14?	20?		2			1	2	1						32	509	509	248	159
Fresno A.S.C., Calif.	4398	768	744	24?	272			59?													5	100	100	21	59
Gowen Fld., Idaho	7186	608	557	51	195	43		22?		1	1	1					1				26	269	455	191	173
Haan, Cp., Calif.	38200	405	359	46	125	3?	7?	8?	3	3	2	1		2			1				22	1985	2523	842	1176
Hamilton Fld., Calif.	14145	650	621	29	125			11?		1		1									25	323	419	320	16
Hammer Fld., Calif.	19766	697	655	42	192	5?		34	1	1		1						1		1	36	1021	1021	674	143
Huachuca, Ft., Ariz.	19020	864	787	77	115			68										1		1	47	1114	1205	866	98
Kearns, Cp., Utah	12005	1113	1083	30	754	61	9?	13?	4	7	11		3	3							69	1096	1422	825	313
Kingman AAF, Ariz.	8476	663	344	319	202			6?		1							1	40		40	19	301	301	163	78
Kohler, Cp., Calif.	4590	1518	1461	57?	1008			11?													36	350	500	136	264
Las Vegas AAF, Nev.	10717	558	422	136	112		15?	19?													17	262	262	190	20
Lawton, Ft., Wash.	14695	913	839	74	326	4?	4?	67			2	2			1						29	842	1014	439	372
Lewis, Ft., Wash.	57782	703	647	56	204	17		19		4	10	2					5	2		2	25	3806	4786	1461	2368

FORM 30-396 REVISED 6 NOV. 1943

* Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, and Pleurisy.

CONFIDENTIAL

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

CONFIDENTIAL

SERVICE COMMAND AND STATION	MEAN STRENGTH	ADMISSIONS																NUMBER OF DEATHS			NUMBER OF PATIENTS IN HOSPITAL END OF WEEK PER 1000 STRENGTH	NUMBER OF BEDS END OF WEEK						
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH				NUMBER OF CASES													CAPACITY		TOTAL OCCUPIED	AVAILABLE VACANT			
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.*	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL (EXCL. EPT1)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC	MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	TUBER- CULOSIS	MALARIA ACQUIRED											
																	IN USA	OUT OF USA	ALL CAUSES	DISEASE		INJURY	NORMAL			TOTAL		
(Cont'd) NINTH SERVICE COMMAND																												
Los Angeles PoE, Calif.	5576	354	326	28	401	197		28						2								37	1000	1000	212	588		
Luke Fld., Ariz.	8491	416	398	187	171	67	67	67											2		2	12	354	354	116	168		
March Fld., Calif.	8724	697	673	247	143	247		187		1				1	1		1					35	532	532	309	117		
Mt. Home, Idaho	3666	709	638	71	312		287	287														26	169	301	100	141		
Ord, Ft., Calif. #	23356	670	585	85	352	29	77	77	1		1			5				1	1		50	2013	2013	905	705			
Pasadena Area, Calif.	5965	1064	968	96	410	267	357	357	3	3	2				2		2				62	823	823	365	293			
Roberts, Cp., Calif.	36421	729	678	51	358	13		11	1	9	2	1	1	2			9				23	1220	1372	829	269			
Utah Salt Lake City AAB,	14182	909	887	22	84	47	47	51			4				2						13	144	196	182	-25			
Calif. San Luis Obispo, Cp.,	16788	514	433	81	177	97		28										1	1		19	949	1355	333	751			
Santa Ana AAB, Calif.	22492	805	777	28	247	88	58	97		4	4		1	13			1	1		1	35	1286	1383	823	283			
Wash. Seattle Area G. H.,	5756	740	641	99	90	187		187									1				10	359	359	59	228			
Stoneman, Cp., Calif.	29987	652	628	24	271	9		85	2	4	2			1				1	1		24	1622	1622	739	559			
Wendover Fld., Utah #	8246	636	586	50	151	19	227	6							2			1		1	15	228	228	130	52			
White, Cp., Ore.	22538	651	598	53	208	187		32		2				8			1				26	1750	1750	630	770			
Yuma AAF, Ariz.	6947	583	561	227	210	157	77	157						2							20	242	242	142	62			
Area # Calif.-Ariz. Maneuver	144185	892	792	100	272	2	4	14			1			1	3	3		6	6		29	7915	8010	4164	2244			
37th AAA Brigade, Calif.	8079	727	618	109	257			327		1																		
Calif. # 101st AAA Brigade,	6794	597	543	54	329		87	87		2																		

CONFIDENTIAL

INDIVIDUAL STATIONS

[illegible]

WEEKLY HEALTH REPORT

LIST OF STATIONS WITH HIGHEST MORBIDITY RATES

RESTRICTED

VOLUME IV REPORT NO. 1
WEEK ENDING 7 January 1944

STATIONS WITH STRENGTH OF 5000 OR OVER

STATION	CURRENT WEEK	PREVIOUS WEEK	STATION	CURRENT WEEK	PREVIOUS WEEK	STATION	CURRENT WEEK	PREVIOUS WEEK
ALL CAUSES ANNUAL ADMISSION RATE PER 1000			DISEASE ANNUAL ADMISSION RATE PER 1000			INJURY ANNUAL ADMISSION RATE PER 1000		
Benj. Harrison, Ft., Ind.	3419	1940	Benj. Harrison, Ft., Ind.	3372	1885	Kingman, AAF, Ariz.	319	197
Greensboro, AAF, N. C.	2597	1514	Greensboro, AAF, N. C.	2555	1447	Sioux City, AAB, Iowa	291	327
Miss. Ord. Plant, Miss.	2402	2031	Livingston, Cp., La.	2334	1088	Mackall, Cp., N. C.	271	90
Livingston, Cp., La.	2393	1110	Miss. Ord. Plant, Miss.	2190	1852	Louisiana Maneuver Area	247	184
Sheridan, Ft., Ill.	2102	1897	Sheridan, Ft., Ill.	2068	1881	Wallace, Cp., Tex.	219	124
Abbot, Cp., Ore.	1974	1730	Abbot, Cp., Ore.	1780	1650	Miss. Ord. Plant, Miss.	212	179
COLDS, INFLUENZA, ETC.* ANNUAL ADMISSION RATE PER 1000			PNEUMONIA (INCLUDING ATYPICAL) ANNUAL ADMISSION RATE PER 1000			DIARRHEA AND DYSENTERY ANNUAL ADMISSION RATE PER 1000		
Greensboro, AAF, N. C.	1671	893	Jefferson Bks., Mo.	178	155	Wendover Fld., Utah	227	207
Miss. Ord. Plant, Miss.	1520	1321	Hood, Cp., Tex.	153	14	Drew Fld., Fla.	108	173
Abbot, Cp., Ore.	1417	1029	Walters, Cp., Tex.	113	81	Smoky Hill AAF, Kans.	70	-
Kohler, Cp., Calif.	1008	729	Lincoln, AAF, Nebr.	106	81	Roswell AAF, N. Mex.	65	-
Grant, Cp., Ill.	987	848	Sioux Falls, AAF, S. D.	88	99	Patterson Fld., Ohio	60	98
Syracuse, AAB, N. Y.	881	670	Greensboro, AAF, N. C.	80	94	Presque Isle, ATC, Me.	59	107
VENEREAL (EXCLUDING EPTI) ANNUAL ADMISSION RATE PER 1000			PATIENTS REMAINING IN HOSPITAL END OF WEEK, PER 1000 STRENGTH			DISEASE EXCLUDING VENEREAL EPTI ANNUAL ADMISSION RATE PER 1000		
Forrest, Cp., Tenn.	162	51	Forrest, Cp., Tenn.	140	140	Greensboro, AAF, N. C.	2552	1447
Clark, Ft., Tex.	107	215	Kearns, Cp., Utah	69	63	Miss. Ord. Plant, Miss.	2190	1852
Sheridan, Ft., Ill.	97	49	Westover Fld., Mass.	64	54	Abbot, Cp., Ore.	1565	1650
Shanks, Cp., N. Y.	87	85	Pasadena Area, Calif.	62	62	Eustis, Ft., Va.	1539	1691
Stoneman, Cp., Calif.	85	44	Livingston, Cp., La.	58	33	Benj. Harrison, Ft., Ind.	1537	875
Sibert, Cp., Ala.	83	33	Mitchel Fld., N. Y.	55	40	Grant, Cp., Ill.	1487	1376

FORM SG-396E, 12 NOVEMBER 1943

RESTRICTED

*Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, And Pleurisy.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

GENERAL HOSPITALS

CONFIDENTIAL

GENERAL HOSPITAL	MEAN STRENGTH	TOTAL ARMY PATIENTS							ARMY BATTLE CASUALTIES				NUMBER OF BEDS END OF WEEK					
		NUMBER ADMITTED		NUMBER DISPOSED OF				NUMBER REMAINING END OF WEEK	NET NUMBER ADMITTED (NET OF TRANSFERS)	NUMBER DISPOSED OF			NUMBER REMAINING END OF WEEK	CAPACITY		TOTAL OCCUPIED	TOTAL VACANT	AVAILABLE VACANT
		TOTAL	BY TRANSFER	DIED	RETURNED TO DUTY	BY TRANSFER	OTHERWISE DISPOSED OF			DIED	RETURNED TO DUTY	OTHERWISE DISPOSED OF		NORMAL	TOTAL			
TOTAL GENERAL HOSPITALS	119032	9668	7121	23	3881	1774	2530	59011	555	58	61	4243	82384	89809	50891	38918	21094	
RECEIVING & EVACUATION HOSPITALS																		
Lovell, Halloran, Stark, Barnes, and Letterman													7447	8198	4128	4070	2430	
MENTAL HOSPITALS																		
Mason, Darnall, and 474 beds at Valley Forge and																		
496 Beds at Bushnell allotted for mental patients only.													3071	3071	1841	1230	616	
TUBERCULOSIS HOSPITALS																		
Fitzsimons 1492 beds allotted for Tuberculosis patients only.													1431	1492	433	1059	761	
ALL OTHER HOSPITALS													70435	77048	44489	32569	17287	
FIRST SERVICE COMMAND																		
Cushing G. H., Mass	553	15			2			13					302	302	12	290	230	
Lovell G. H., Mass. (CF)	1389	99	82	1	50	4	51	781				1	54	987	1029	587	462	256
SECOND SERVICE COMMAND																		
England G. H., N. J. (CF)	2634	360	339		100	10	55	1817	52	3	1	271	1653	1653	903	750	419	
Halloran G. H., N. Y.	2393	327	304		86	54	34	980				108	3000	3000	969	2041	1441	
Mason G. H., N. Y.	1891	57	51		7		59	1002					1302	1302	1082	220	-40	

FORM 36-366D REVISED 11 NOV. 1943

CONFIDENTIAL

WEEKLY HEALTH REPORT

GENERAL HOSPITALS

CONFIDENTIAL

GENERAL HOSPITAL	MEAN STRENGTH	TOTAL ARMY PATIENTS							ARMY BATTLE CASUALTIES				NUMBER OF BEDS END OF WEEK					
		NUMBER ADMITTED		NUMBER DISPOSED OF				NUMBER REMAINING END OF WEEK	NET NUMBER ADMITTED (NET OF TRANSFERS)	NUMBER DISPOSED OF			NUMBER REMAINING END OF WEEK	CAPACITY		TOTAL OCCUPIED	TOTAL VACANT	AVAILABLE VACANT
		TOTAL	BY TRANSFER	DIED	RETURNED TO DUTY	BY TRANSFER	OTHERWISE DISPOSED OF			DIED	RETURNED TO DUTY	OTHERWISE DISPOSED OF		NORMAL	TOTAL			
(Cont'd) SECOND SERVICE COMMAND																		
Rhoads G. H., N. Y.	1849	45	31		26	31	25	968					9	1777	1777	867	910	555
Tilton G. H., N. J.	2092	52	41		31	9	28	728			1		81	777	946	671	275	86
THIRD SERVICE COMMAND																		
Deshon G. H., Pa.	1349	83	72	1	79	4	24	831			6	2	117	1012	1012	746	266	64
(CF) Valley Forge G. H., Pa.	3035	388	344	1	89	5	81	1390	88		2	7	200	1832	1832	1132	700	334
(CF) Woodrow Wilson G. H., Va.	2034	95	77		68	4	45	1251			3	1	59	1174	1680	988	692	356
MIL. DIST. OF WASH.																		
(CF) Walter Reed G. H., D. C.	5208	249	154	1	154	13	50	2634	1		3	2	358	1895	2785	2010	775	218
FOURTH SERVICE COMMAND																		
Batley G. H., Ga.	1021	17			23	1	15	483					15	1494	1494	429	1065	766
Finney G. H., Ga.	1806	182	176	1	72	5	46	1113					17	1767	1767	1127	640	287
Foster G. H., Miss.	2011	57	42		44	8	31	1271			2		162	1768	2053	1308	745	334
(CF) Kennedy G. H., Tenn.	3818	145	124		108	3	142	2750			2	5	196	2965	3161	1712	1449	817
Lawson G. H., Ga.	4555	167	129	2	83	8	57	1711	2				62	1900	1900	1540	360	-20
(CF) Moore G. H., N. C.	1884	261	250		54	35	48	1165	14		1	2	137	1652	1652	1123	529	199
(CF) Northington G. H., Ala.	1956	197	17		146	26	121	904	11		4	1	32	2003	2003	847	1156	755
(CF) Oliver G. H., Ga.	2002	124	107	1	115	6	9	1314						1261	1380	987	393	117
Ream G. H., Fla.	1019	68	67		36	1	8	587						1038	1038	599	439	231

FORM SG-396D REVISED 11 NOV. 1943

CONFIDENTIAL

WEEKLY HEALTH REPORT

GENERAL HOSPITALS

CONFIDENTIAL

GENERAL HOSPITAL	MEAN STRENGTH	TOTAL ARMY PATIENTS							ARMY BATTLE CASUALTIES					NUMBER OF BEDS END OF WEEK				
		NUMBER ADMITTED		NUMBER DISPOSED OF				NUMBER REMAINING END OF WEEK	NET NUMBER ADMITTED (NET OF TRANSFERS)	NUMBER DISPOSED OF			NUMBER REMAINING END OF WEEK	CAPACITY		TOTAL OCCUPIED	TOTAL VACANT	AVAILABLE VACANT
		TOTAL	BY TRANSFER	DIED	RETURNED TO DUTY	BY TRANSFER	OTHERWISE DISPOSED OF			DIED	RETURNED TO DUTY	OTHERWISE DISPOSED OF		NORMAL	TOTAL			
(Cont'd) FOURTH SERVICE COMMAND																		
Stark G. H., S. C.	1535	735	725		31	89	27	744	229				232	1020	1020	735	285	81
(CF) Thayer G. H., Tenn.	1893	124	110		143	5	34	1335					29	1680	1680	1187	493	157
FIFTH SERVICE COMMAND																		
Ashford G. H., W. Va.	2469	62	41		79	8	25	1675			7	1	384	1875	1875	1576	299	-76
Billings G. H., Ind. (CF)	2982	113	98	1	67	12	24	1104			4		98	1046	1046	767	279	70
Darnall G. H., Ky.	850	39	30		13		28	279						800	800	279	521	361
Fletcher G. H., Ohio	1837	28	5	1	75	7	67	1059			2		141	1520	1520	966	554	250
(CF) Nichols G. H., Ky.	2076	89	61	1	68	6	29	1348			2		67	1484	1621	902	719	395
SIXTH SERVICE COMMAND																		
# Percy Jones G. H., Mich.	1477	45	28		25		15	1375				1	298	1665	1665	722	943	610
# Gardiner G. H., Ill.	1163	185	158	1	115	4	11	595					1	1250	1250	533	717	467
SEVENTH SERVICE COMMAND																		
Fittsimons G. H., Colo.	4268	233	163		124	1	90	1666					15	3240	3515	2071	1444	741
(CF) O'Reilly G. H., Mo.	4543	946	922	1	76	1	192	1945	52		1	12	99	2196	2332	1850	482	16
(CF) Schick G. H., Iowa	2241	57	38		75	4	40	868	1			1	60	1450	1450	649	801	511
Winter G. H., Kans.	1869	131	51		88	11	32	1051	4		3	1	69	1777	1777	978	799	444

FORM 56-396D REVISED 11 NOV. 1943

CONFIDENTIAL

WEEKLY HEALTH REPORT

GENERAL HOSPITALS

CONFIDENTIAL

GENERAL HOSPITAL	MEAN STRENGTH	TOTAL ARMY PATIENTS							ARMY BATTLE CASUALTIES					NUMBER OF BEDS END OF WEEK					
		NUMBER ADMITTED		NUMBER DISPOSED OF				NUMBER REMAINING END OF WEEK	NET NUMBER ADMITTED (NET OF TRANSFERS)	NUMBER DISPOSED OF			NUMBER REMAINING END OF WEEK	CAPACITY		TOTAL OCCUPIED	TOTAL VACANT	AVAILABLE VACANT	
		TOTAL	BY TRANSFER	DIED	RETURNED TO DUTY	BY TRANSFER	OTHERWISE DISPOSED OF			DIED	RETURNED TO DUTY	OTHERWISE DISPOSED OF		NORMAL	TOTAL				
EIGHTH SERVICE COMMAND																			
Army & Navy G. H., Ark.	1092	36	16		37	2	6	300							1114	1220	453	767	523
Ashburn G. H., Tex.	1177	75	56		76	9	14	819							1524	1524	606	918	613
Borden G. H., Okla.	2066	134	58		38	4	52	783			1		12		1003	1003	797	206	5
Brooke G. H., Tex. (CF)	4631	549	282	4	271	33	156	1808			4		115		2021	2757	1817	940	389
Bruns G. H., N. Mex.	1432	50	35		33	2	37	746					2		1483	1647	765	882	553
Glennan G. H., Okla.	530	67	53		9			131							360	360	134	226	154
Harmon G. H., Tex.	2473	433	291	1	88	5	123	1282	2			4	39		2051	2051	1283	768	358
La Garde G. H., La. (CF)	2020	190	90		74	5	53	776					2		951	984	734	250	53
McCloskey G. H., Tex. (CF)	4464	832	133		137	8	135	2708	91		2	4	276		3018	3299	2067	1232	572
Wm Beaumont G. H., Tex. (CF)	3367	127	89	1	99	7	62	1437					2		1334	1522	1174	348	44
NINTH SERVICE COMMAND																			
Barnes G. H., Wash. (CF)	5659	167	129		122	32	24	954			1		8		884	1083	826	257	40
Baxter G. H., Wash. (CF)	2289	45	28		68	11	20	1220				1	71		1502	1502	1060	442	142
Bushnell G. H., Utah (CF)	2791	133	122		91		67	1838			2	1	149		2132	2459	1189	1270	778
DeWitt G. H., Calif.	155	4			9			3							1725	2249	3	2246	1796
Dibble G. H., Calif.	374	14	2		15		2	25							1503	1503	25	1478	1177
Hammond G. H., Calif.	2128	206	192	2	89	31	45	1241	6			2	73		2055	2269	1161	1108	654
Hoff G. H., Calif. (CF)	1562	129	81		69	10	105	997				1	32		826	1370	805	565	291
Letterman G. H., Calif.	2820	432	402	1	58	1231	24	1065							1556	2066	1041	1025	612
McCaw G. H., Wash.	1963	29	7		38	8	46	1250					57		1505	2090	1089	1001	583
Torney G. H., Calif.	2447	241	220	1	108	3	18	1092	2		2		14		1275	1534	1038	496	189

FORM 36-386D REVISED 11 NOV. 1943

CONFIDENTIAL

WEEKLY HEALTH REPORT

LIST OF CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST

Volume IV Report No. 1
Week Ending 7 January 1944

RESTRICTED

<u>MENINGITIS (OTHER FORMS)</u> (6) 1-Shanks, Cp., N. Y. 1-Columbus AAF, Miss. 1-Forrest, Cp., Tenn. 1-Walterboro, S. C. 1-Ellington Fld., Tex. 1-Howse, Cp., Tex.	<u>DIPHTHERIA (7)</u> 1-McClellan, Ft., Ala. 2-Wm. Northern Fld., Tenn. 1-Atterbury, Cp., Ind. 1-Sheridan, Ft., Ill. 1-Riley, Ft., Kans. 1-Stoneman, Cp., Calif.	<u>POLIOMYELITIS (2)</u> 1-Seymour-Johnson Fld., N.C. 1-Chaffee, Cp., Ark.	<u>TYPHUS FEVER (2)</u> 1-Gulfport Fld., Miss. Delayed Reports Week ending 12/31 1-Barkeley, Cp., Tex.	<u>JAUNDICE (79)</u> 1-Bradley Fld., Conn. 2-Devens, Ft., Mass. 1-Westover Fld., Mass. 1-Jay, Ft., N.Y. 1-Kilmer, Cp., N. J. 1-A.P. Hill Mil. Res., Va. 1-Eustis, Ft., Va. 2-Geo. G. Meade, Ft., Md. 1-Monroe, Ft., Va. 3-Patrick Henry, Cp., Va. 1-Pickett, Cp., Va. 3-Benning, Ft., Ga. 1-Blanding, Cp., Fla. 2-Davis, Cp., N. C. 1-Drow Fld., Fla. 3-Gordon, Cp., Ga. 2-Hunter Fld., Ga. 1-Kessler Field, Miss. 2-Lawson G. H., Atlanta Ga. 1-MacDill Fld., Fla. 2-McClellan, Ft., Ala. 1-Maxwell Fld., Ala. 2-Oglethorpe, Ft., Ga. 1-Shelby, Cp., Miss. 3-Stewart, Cp., Ga. 3-Tyndall Fld., Fla. 1-Van Dorn, Cp., Miss. 1-Patterson Fld., Ohio. 1-Dodge, Cp., Iowa. 1-345th C.T.D. Drake Univ., Iowa 2-Brooke G. H., Tex. 1-Goodfellow Fld., Tex. 2-Kelly Fld., AAB, Tex. 1-Livingston, Cp., La. 1-Polk, Cp., La. 1-San Marcos AAFWS, Tex. 1-Sill, Ft., Okla. 3-Haan, Cp., Calif. 2-Hamilton Fld., Calif. 5-Roberts, Cp., Calif. 1-Santa Ana AAB., Calif.	<u>JAUNDICE (79) (Cont'd)</u> Delayed Reports Week ending 12/31 2-Casper AAB, Wyo. 3-Claiborne, Cp., La. 1-Hood, Cp., Tex. 1-Gruber, Cp., Okla. 4-Polk, Cp., La. 1-Williams Fld., Ariz.
<u>MENINGITIS (PNEUMOCOCCIC)</u> (1) 1-Kilmer, Cp., N. J.					
<u>MENINGITIS (INFLUENZAL)</u> (1) 1-Reading AAF, Pa.	<u>TYPHOID FEVER (1)</u> 1-Lowry Fld., Colo.	<u>UNDULANT FEVER (2)</u> 1-Sill, Ft., Okla. Delayed Reports Week ending 12/31 1-Hoff G. H. Calif.	<u>MALTA FEVER (1)</u> 1-Gruber, Cp., Okla.		<u>COCCIDIOIDOMYCOSIS (17)</u> 3-Gardner Fld., Calif. 2-Haan, Cp., Calif. 1-Lemoore AAF, Calif. 2-March Fld., Calif. 2-Winter Fld., Calif. 1-San Luis Obispo, Cp., Calif. 1-Santa Ana AAB, Calif.
<u>MENINGITIS (LYMPHOCYTIC)</u> (1) 1-Reading AAF, Pa.		<u>ANKYLOSTOMIASIS (1)</u> Delayed Reports Week ending 12/31 1-Bowie, Cp., Tex.			Delayed Reports Week ending 12/25 1-Calif.-Ariz. Maneuver Area
<u>MENINGITIS (STREPTOCOCCIC)</u> (1) 1-Benning, Ft., Ga.	<u>GERMAN MEASLES (49)</u> 28-Greensboro, N. C. B.T.C. # 10 10-McCain, Cp., Miss. 11-Shelby, Cp., Miss.				Delayed Reports Week ending 12/31 4-Williams Fld., Ariz.

RESTRICTED

SUPPLEMENTARY HEALTH REPORT

FOR THE FIVE WEEK PERIOD ENDING 31 DECEMBER 1943

PRISONERS OF WAR

During the five week period ending 31 December 1943, morbidity from all causes among prisoners of war was at the relatively low level of about 710 admissions per year per thousand strength or only about 70 percent of that for U.S. troops in the continental United States during the same period. Morbidity from all diseases combined during this period was only 625 per year per thousand strength or only about 65 percent of that for U.S. troops in this country. As compared with November, the admission rates for all causes and all diseases combined were about 25 percent higher, almost entirely as a result of increased morbidity from colds, influenza, etc. The injury admission rate for December was somewhat lower than for the previous month and at about the same level as that for U.S. troops in the continental United States. The December admission rates for all diseases combined were about the same for German prisoners as for Italians, but on the other hand the injury rate for German prisoners was substantially higher than that for Italians, just as in previous months.

Morbidity from colds, influenza, etc. among prisoners of war increased sharply from 70 per thousand in November to 238 per thousand in December. Nonetheless, the rate for prisoners of war for December was well below the corresponding rate for U.S. troops in the continental United States which was about 500 per thousand. The markedly lower rates of admission from respiratory causes among prisoners of war account in large part for the much lower morbidity from all diseases combined among prisoners of war as compared with U.S. troops in the continental United States. An important reason for the lower morbidity from respiratory causes among prisoners is that the camps are predominately located in the Southern states which did not experience the extremely high morbidity from colds and influenza that the remainder of the country did during December. Thus the rate of admission for respiratory causes among U.S. troops in the Fourth and Eighth Service Commands, in which about 75 percent of the German and 40 percent of the Italian prisoners are located, was only about 450 per thousand in December as compared with 600 per thousand for the other Service Commands. In this connection it is noteworthy that the Italian prisoners of war who are less predominately located in the Southern states (a substantial number of them being in the Middle West) experienced a higher morbidity from respiratory causes than did the Germans; namely, an admission rate of 345 per thousand strength as compared with a rate of 196 per thousand strength for the Germans.

In December there continued to be a significant number of cases of diphtheria, all among German prisoners, but the number of cases of jaundice was only half that in November. The annual admission rate from malaria among prisoners of war (representing cases acquired outside of the United States) decreased from 30 per thousand strength in November to 17 per thousand strength in December. Morbidity from malaria continued to be at a somewhat higher rate for Italian prisoners than for Germans, the rates of admission being 20 and 17 per thousand respectively. The admission rate from diarrhea and dysentery decreased to 6 per thousand strength, or about the same level as that for U.S. troops in the continental United States. All the other causes of admission considered in the tables showed relatively small numbers of cases.

In December there was a considerable range in the admission rates as between different camps, to a large extent due to the outbreaks of respiratory diseases in some camps. As in previous months, certain camps continued to have high injury admission rates; included among these are Clinton, Miss. (German), Camp Shelby, Miss. (German), Camp Gruber, Okla. (German), McLean, Texas (German), Ruston, La. (German) and Camp Perry, Ohio (Italian) all of which had rates of about 300 per thousand or more.

CONFIDENTIAL

SUPPLEMENTARY HEALTH REPORT

PRISONERS OF WAR

FOR THE FIVE WEEK PERIOD ENDING 31 DECEMBER 1943

CONFIDENTIAL

VOLUME IV REPORT NO. I

CAMP	MEAN STRENGTH	ANNUAL RATE OF ADMISSION PER 1000 STRENGTH			NUMBER OF CASES ADMITTED																	TOTAL DEATHS
		ALL CAUSES	DISEASE	INJURY	RESPIRATORY				MEASLES	MUMPS	SCARLET FEVER	DIPHTHERIA	M'COCCIC MENINGITIS	RHEUMATIC FEVER	MALARIA ACQUIRED		DIARRHEA AND DYSENTERY	JAUNDICE	TUBERCULOSIS	TOTAL VENEREAL	OTHERS AS SPECIFIED	
					COLDS INFLUENZA ETC.*	PNEUMONIA ALL TYPES	ATYPICAL PNEUMONIA	IN USA							OUT OF USA							
TOTAL CAMPS	168348	707	625	82	3859	46	11		11	5	33	1			283	94	8	41	12	Scabies - 98 Undulant Fever - 9 Paratyphoid Fever - 3 Typhoid Fever - 1	7	
(Annual Rate of Admission per 1000 Strength)		(707)	(625)	(82)	(238)	(3)					(2)				(17)	(6)		(3)				
TOTAL GERMAN CAMPS	120384	733	634	99	2272	32	5		1	5	33				191	78	7	12	4		5	
Lovell G. H., Mass.	1																					
Geo. G. Meade, Ft., Md.	34	308?	308?																			
Pine Grove Furnace, Pa.	55	187?	187?		1																	
Aliceville, Ala.	5395	349	330	19	19						3				3							
Blanding, Cp., Fla.	1051	178	178		2																	
Clinton, Miss.	2923	1185	854	331	98	2									10	1		1	1	Scabies - 5		
Crossville, Tenn.	1390	382	337	45	10										3							
Dublin, Cp., Ga.	250	291	291																			
Forrest, Cp., Tenn.	3393	402	374	28	55	2									3					Undulant Fever - 2 Paratyphoid Fever - 2 Scabies - 1		
Gorden, Cp., Ga.	2132	464	449	157	19	1									8							
McCain, Cp., Miss.	924	653	630	237	28											7						
McClellan, Cp., Ala.	3001	236	201	35	24	2					2				1	1	1		2	Scabies - 1		
Northington G. H., Ala.	23																					
Opelika, Cp., Ala.	2503	150	108	42											1							
Shelby, Cp., Miss.	2273	467	96	371	6										4							
Ashford G. H., W. Va.	1045	259	219	407	13				1						1							

FORM 98-513 REVISED 10 NOVEMBER 1943

*Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, and Pleurisy.

ARMY SERVICE FORCES, OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION

CONFIDENTIAL

SUPPLEMENTARY HEALTH REPORT

PRISONERS OF WAR

CONFIDENTIAL

VOLUME IV REPORT NO. I

FOR THE FIVE WEEK PERIOD ENDING 31 DECEMBER 1943

CAMP	MEAN STRENGTH	ANNUAL RATE OF ADMISSION PER 1000 STRENGTH			NUMBER OF CASES ADMITTED															TOTAL DEATHS		
		ALL CAUSES	DISEASE	INJURY	RESPIRATORY				MEASLES	MUMPS	SCARLET FEVER	DIPHTHERIA	M'COCCIC MENINGITIS	RHEUMATIC FEVER	MALARIA ACQUIRED		DIARRHEA AND DYSENTERY	JAUNDICE	TUBERCULOSIS		TOTAL VENEREAL	OTHERS AS SPECIFIED
					COLDS INFLUENZA ETC.*	PNEUMONIA ALL TYPES	ATYPICAL PNEUMONIA	IN USA							OUT OF USA							
GERMAN CAMPS (Cont'd)																						
Billings G. H., Ind.	14																					
Breckinridge, Cp., Ky.	1936	2556	2320	236	143	1					7						4					
Campbell, Cp., Ky.	1353	976	938	38?	98	3	2									4	1					
Ellis, Cp., Ill.	2597	344	320	24	40											14	1					
Grant, Cp., Ill.	1481	899	892	7?	103	2	2															
Carson, Cp., Colo.	2822	1242	1187	55	103	1										5			2		Scabies - 3	
McCoy, Cp., Wis.	201	103?	103?																			
Concordia, Cp., Kans.	3959	279	255	24	38	1										8	2			1	Scabies - 2	
Crowder, Cp., Mo.	419	869	869		13																Scabies - 1	
F. E. Warren, Ft., Wyo.	356	1170	1141	29?	21																	1
Hale, Cp., Colo.	344	151?	151?		1																	
Indianola, Nebr.	1416	1234	1197	37?	77	4					4					12						
Leonard Wood, Ft., Mo.	2800	795	747	48	122						1					4	1				Scabies - 16	
Phillips, Cp., Kans.	2692	460	437	23	101											4			2		Scabies - 2	
Riley, Ft., Kans.	317	722	722		19																	
Robinson, Ft., Nebr.	677	3272	3103	169	126	1					1					2	12	3			Scabies - 6	
Trinidad, Cp., Colo.	3857	566	553	13?	162											4					Scabies - 2	
Alva, Okla.	1138	1361	1334	27?	124																	
Barkley, Cp., Tex.	640	390	374	16?	1											2			1			
Bowie, Cp., Tex.	2335	392	356	36	10						1					9	3		1		Scabies - 2	

FORM SG-513 REVISED 10 NOVEMBER 1943

*Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, and Pleurisy.

ARMY SERVICE FORCES, OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION

CONFIDENTIAL

SUPPLEMENTARY HEALTH REPORT PRISONERS OF WAR

FOR THE FIVE WEEK PERIOD ENDING 31 DECEMBER 1943

CONFIDENTIAL

VOLUME IV REPORT NO. I

CAMP	MEAN STRENGTH	ANNUAL RATE OF ADMISSION PER 1000 STRENGTH			NUMBER OF CASES ADMITTED																TOTAL DEATHS	
		ALL CAUSES	DISEASE	INJURY	RESPIRATORY				MEASLES	MUMPS	SCARLET FEVER	DIPHTHERIA	M'COCCIC MENINGITIS	RHEUMATIC FEVER	MALARIA ACQUIRED		DIARRHEA AND DYSENTERY	JAUNDICE	TUBERCULOSIS	TOTAL VENEREAL		OTHERS AS SPECIFIED
					COLD INFLUENZA ETC. *	PNEUMONIA ALL TYPES	ATYPICAL PNEUMONIA	IN USA							OUT OF USA							
GERMAN CAMPS (Cont'd)																						
Brady, Cp., Tex.	2934	124	106	18?	6											4						
Chaffee, Cp., Ark.	3517	446	405	41	51	1										3			1		Scabies - 2	
Fannin, Cp., Tex.	989	716	642	74	38																	
Gruber, Cp., Okla.	3813	2984	2324	660	115	3											12				Scabies - 4 Undulant Fever - 2	1
Hearne, Cp., Tex.	4470	239	209	30	19						1					1			1			
Hood, Cp., Tex.	4365	424	410	14	36	1				1						2	1	1			Scabies - 3	
Howze, Cp., Tex.	1185	1018	913	105	62	1															Scabies - 3	
Huntsville, Tex.	4416	276	238	38												2	3		1			2
Livingston, Cp., La.	4147	113	103	10?	5	2					6					10						
Madill, Okla.	1395	969	768	201																		
Maxey, Cp., Tex.	1650	2616	2414	202																		1
McAlester, Okla.	3750	588	349	39	27											6					Scabies - 10	
McLean, Tex.	2187	3447	3048	399	113											2	24	1				
Mexia, Tex.	4301	189	143	46	9											3					Paratyphoid - 1	
Polk, Cp., La.	3410	173	149	24	11	1	1			1						10	1					
Reno, Ft., Okla.	997	1460	1439	21?	53											1						
Roswell, W. Mex.	4764	236	192	44	31	1										11						
Ruston, La.	3983	2167	1546	621	18	1					10					8		1	1			
Sam Houston, Ft., Tex.	1000	589	489	100	26												2				Scabies - 6	
Stringtown, Okla.	508	287	246	41?																		

FORM 96-513 REVISED 10 NOVEMBER 1943

*Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, and Pleurisy.

ARMY SERVICE FORCES, OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION

CONFIDENTIAL

SUPPLEMENTARY HEALTH REPORT

PRISONERS OF WAR

FOR THE FIVE WEEK PERIOD ENDING 31 DECEMBER 1943

CONFIDENTIAL

VOLUME IV REPORT NO. I

CAMP	MEAN STRENGTH	ANNUAL RATE OF ADMISSION PER 1000 STRENGTH			NUMBER OF CASES ADMITTED																	TOTAL DEATHS
		ALL CAUSES	DISEASE	INJURY	RESPIRATORY			MEASLES	MUMPS	SCARLET FEVER	DIPHTHERIA	M'COCCIC MENINGITIS	RHEUMATIC FEVER	MALARIA ACQUIRED		DIARRHEA AND DYSENTERY	JAUNDICE	TUBERCULOSIS	TOTAL VENEREAL	OTHERS AS SPECIFIED		
					COLD INFLUENZA ETC.*	PNEUMONIA ALL TYPES	ATYPICAL PNEUMONIA							IN USA	OUT OF USA							
GERMAN CAMPS (Cont'd)																						
Sumner, N. Mex.	96	867	867		6	1																
Swift, Cp., Tex.	2251	210	210		4										10			1				
Tonkawa, Okla.	2529	711	658	53	65										16	2						
TOTAL ITALIAN CAMPS	47869	643	603	40	1587	14	6		10			1			92	16	1	20	6		2	
Pine, Cp., N. Y.	999	469	375	94	5										8	1	1			Scabies - 2		
Geo. G. Meade, Ft., Md.	1599	449	449																			
Ritchie, Cp., Md.	150	1733	1525	208?	13															Scabies - 1		
Benning, Ft., Ga.	2943	244	244												17			2				
Butner, Cp., N. C.	1089	917	898	19?	45	2	1		8						1						1	
Charleston, S. C.	299	799	695	104?																		
Como, Miss.	3332	820	808	12?	203	2									9	4				Scabies - 7 Undulant Fever - 5		
Wheeler, Cp., Ga.	1919	255	244	11?	9																	
Atterbury, Cp., Ind.	2998	396	375	21	45	7	5		1						4					Scabies - 1		
Perry, Cp., Ohio	1015	1886	1609	277	98										3	2				Typhoid Fever - 1		
Clark, Cp., Mo.	4060	791	740	51	212				1			1			9					Scabies - 1		
Scottsbluff, Webr.	2737	1342	1262	80	291										1	1				Scabies - 4		
Weingarten, Mo.	3400	844	823	21	212	2									10			1				

FORM 56-513 REVISED 10 NOVEMBER 1943

*Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, and Pleurisy.

ARMY SERVICE FORCES, OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION

CONFIDENTIAL

FOR THE FIVE WEEK PERIOD ENDING 31 DECEMBER 1943

VOLUME IV REPORT NO. I

FORM SG-513 REVISED 10 NOVEMBER 1943

ARMY SERVICE FORCES, OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION

- 37 -

